## **PROSAT<sup>®</sup>** Theta<sup>™</sup> Wipes

## Presaturated with 70% USP grade IPA and 30% DI water

These PROSAT<sup>®</sup> Theta<sup>™</sup> wipes are manufactured from a lightweight hydroentangled cellulose/polyester and saturated with a solution of 70% USP grade IPA and 30% deionized water. A cost-effective wipe ideal for transfer disinfection and general cleaning, PROSAT Theta wipes offer a soft and durable wipe providing consistent solvent application.

Presaturated wipes ensure consistent saturation of each wipe independent of operator. Presaturated wipes can increase solvent control and accountability as well as reduce VOC emissions. The wipes are provided in convenient and easy to use peel and reseal pouches. The resealable pouches preserve solvent saturation and cleanliness.



Features	Benefits
Nonwoven material	• Low in particles and fibers making an excellent general purpose wipes
Presaturated wipe	<ul><li>To reduce solvent usage and VOC emissions</li><li>Ensures consistent saturation of each wipe independent of the operator</li></ul>
Resealable pouch	• Wipes are provided in a resealable pouch for ease of use and convenience
Validated sterile to a 10 <sup>-6</sup> SAL per ANSI/ AAMI/ISO 11137 guidelines	Suitable for use in Grade A/B cleanrooms
Filtered thorugh 0.2 micron in-line filter	<ul><li>Eliminates the need for in-house filtration</li><li>Meets USP Grade Purified Water</li></ul>

Part No.	Description		Size	Packaging		
PSC20005	PROSAT <i>Sterile</i> Theta, Presaturated with 70% IPA/30% DI Water	terile Sterile	9" x 11" (230 x 280 mm)	50/pouch; 28 pouches/case		
PSC20006	PROSAT Theta, Presaturated with 70% IPA/30% DI Water		9" x 11" (230 x 280 mm)	50/pouch; 28 pouches/case		

PDSW045 | 073124

Copyright © 2024 Contec, Inc. All rights reserved.

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 cleanroom.contecinc.com

Customer Service tel: 1-866-855-4682 cs\_cleanroom@contecinc.com



	Product Information				
	Material	54% cellulose/46% polyester			
Construction		Hydroentangled staple fibers			
	Packaging materials	Pouch (PCH), low-density polyethylene (LDPE)/polyester (PET) Flow-wrap outer bag (FOB), low-density polyethylene (LDPE)/ polyester (PET) Outer bags (OB2, OB3), low-density polyethylene (LDPE)			
	Environment	ISO 5-8 Grade A/B for sterile, C/D for nonsterile			



Technical Da	ata								
Attribute (uni	ts)		Typical Value		Test I	Method			
Basis weight,	nominal; (g/m	1 <sup>2</sup> )	53		Conte	ec Method			
Non-volatile	residue, NVR				IEST-	RP-CC004.	3, Sec. 7	7.1.2	
In de	ionized water	; (g/m²)	0.037						
In isop	propyl alcohol	; (g/m²)	ND						
Specific ions					IEST-	RP-CC004.	3, Sec. 7	7.2.2	
Sodium; (ppm)		; (ppm)	11.9						
Chloride; (ppm) Particles, readily releasable			18.2						
					IEST-	RP-CC004.	2, Sec. 5	5.1	
Particles $\geq 0.2$	5μm; (x10 <sup>6</sup> /m	<sup>2</sup> )	18.6						
Fibers > 100	um; (x 10³/m²)	)	21.7						
Packaging	EA/PCH	PCH/FOE	B FOB/OB2	EA/	′CS			voco	2
PSC20006	50	4	7	1,4	00			PSC20	
	EA/PCH	PCH/FOE	B FOB/OB2	OB2	2/CS	EA/CS		PSC20	)(



PET	
HDPE	
LDPE	
PP	
PAP	201

VOC (LBS/PCH)

0.74

0.67

PSC20005	50	1	7	4	1,400			
EA = each; OB = outer bag; PCH = pouch; CS = case; FOB = flow-wrap outer bag								

Notes

b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.

c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

d) All of Contec's packaging is compatible with hydrogen peroxide gassing applications.

e) These wipes are free of lint and loose fibers, and meet the definition of lint-free/low linting wipes according to the United States Pharmacopoeia Chapter 797 (USP-NF General Chapter

<797> Pharmaceutical Compounding -Sterile Preparations) and the Institute of Environmental Sciences and Technology Recommended Practice IEST-RP-CC004.4

Test Methods:

1. CTM = Contec Test Method

2. IEST-RP-CC004.3 = Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of environmental Sciences and Technology, Rolling Meadows IL.

PDSW045 | 073124

Copyright © 2024 Contec, Inc. All rights reserved.

VOC (LBS/CS)

20.79

18.83

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 cleanroom.contecinc.com

Customer Service tel: 1-866-855-4682 cs\_cleanroom@contecinc.com



a) The data shown are typical values and should not be used as product specifications.