

# PROSAT® Quiltec® I Wipes

## Presaturated quilted polyester wipes with solvent blends

PROSAT® Quiltec® I Wipes are made using two layers of knitted polyester fabric that have been bonded together to form a stronger, more durable, abrasion and chemical resistant wipe with greater solvent holding and delivery capacity. Unlike cotton cloths, Contec's Quiltec wipe is 100% polyester and does not absorb solution into the fibers, therefore delivering nearly all solution to the surface. The wipe features sealed edges resulting in the cleanest wipe possible with extremely low particle and fiber contamination for the most demanding applications. The large size makes PROSAT Quiltec an excellent choice for cleaning large surface areas. The use of presaturated wipes provides maximum process control, reduces VOC emissions and solvent use up to 35% compared to spraying.



Features	Benefits
Presaturated with a variety of industry solvents	<ul style="list-style-type: none"> <li>• Excellent choice for demanding applications</li> </ul>
Low in nonvolatile residues, particles and fibers	<ul style="list-style-type: none"> <li>• Ideal for multiple applications</li> </ul>
Low VOCs	<ul style="list-style-type: none"> <li>• Reduces VOC emissions compared to spraying</li> </ul>

Part No.	Description	Size	Packaging
PSQT0002	PROSAT Quiltec I Wipes Presaturated with 100% USP IPA	9" x 9" (230 x 230 mm)	50/pouch; 12 pouches/case
PSQT0026	PROSAT Quiltec I Wipes Presaturated with 100% USP IPA	6" x 16" (152 x 406 mm)	25/pouch; 20 pouches/case
PSQT0007	PROSAT Quiltec I Wipes Presaturated with 85% USP IPA/15% DI Water	12" x12" (305 x 305 mm)	40/pouch; 5 pouches/case
PSQT0015	PROSAT Quiltec I Wipes Presaturated with 75% USP IPA/25% PM	12" x12" (305 x 305 mm)	40/pouch; 5 pouches/case
PSQT0032	PROSAT Quiltec I Wipes Presaturated with 100% USP IPA	12" x12" (305 x 305 mm)	20/pouch; 10 pouches/case
PSQT1295	PROSAT Quiltec I Wipes Presaturated with 100% Acetone	12" x12" (305 x 305 mm)	10/pouch; 12 pouches/case
PSQT0028	PROSAT Quiltec I Wipes Presaturated with 85% USP IPA/15% VMP Naphtha	14" x 16" (356 x 406 mm)	35/pouch; 5 pouches/case
PSQT1289	PROSAT Quiltec I Wipes Presaturated with 100% VMP Naphtha	16" x 16" (406 x 406 mm)	10/pouch; 12 pouches/case
PSQT1290	PROSAT Quiltec I Wipes Presaturated with 50% USP IPA/50% DI Water	16" x 16" (406 x 406 mm)	10/pouch; 12 pouches/case
PSQT1292	PROSAT Quiltec I Wipes Presaturated with 100% USP IPA	16" x 16" (406 x 406 mm)	10/pouch; 12 pouches/case

Product Information	
Material	100% knitted polyester
Construction	2-layer, ultrasonically bonded

Technical Data		
Attribute (units)	Typical Value	Test Method
Basis weight, (g/m <sup>2</sup> )	240	
Specific ions		IEST-RP-CC004.2, Sec. 6.2.2
Sodium; (ppm)	0.05	
Chloride; (ppm)	0.03	
Particles, readily releasable		IEST-RP-CC004.2, Sec. 5.1
Particles ≥ 3.0µm; (x10 <sup>6</sup> /m <sup>2</sup> )	3.25	
Fibers ≥ 100µm; (x 10 <sup>3</sup> /m <sup>2</sup> )	0.22	IEST-RP-CC004.2, Sec. 5.2



Recycle Symbols



Part No.	VOC Content pounds/pouch	VOC Content pounds/case
PSQT0002	2.17	26.06
PSQT0026	0.61	12.16
PSQT0007	2.64	13.21
PSQT0015	3.55	17.75
PSQT0032	1.3	12.95
PSQT1295*	Acetone Exemption	Acetone Exemption
PSQT0028	3.96	19.78
PSQT1289	1.39	16.62
PSQT1290	0.98	11.81
PSQT1292	1.56	18.76

\* Acetone is excluded from the definition of VOC per 40 CFR Part 51.100 on the basis that the compounds have been determined to have negligible photochemical reactivity.

**Notes**

- a) The data shown are typical values and should not be used as product specifications.
- b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

PDSW096 | 090523

Copyright © 2023 Contec, Inc. All rights reserved.