

## 1. Identification

**Product identifier** (LQSC3090) Contec Wipes DE US

**Other means of identification**

**SDS number** LQSC3090

**Product code** PS-911EB/ETOH, PS-911ETOH, PSC20003, SWC10004, SWNW0030

**Recommended use** Wipe for critical cleaning.

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Company Name** Contec, Inc.

**Address** 525 Locust Grove  
Spartanburg, SC 29303  
USA

**Telephone** 1-864-503-8333

**Email** SDS@contecinc.com

**Emergency phone number** Call CHEMTREC day or night  
USA/Canada: 1.800.424.9300  
Mexico: 1.800.681.9531  
Outside USA/Canada: +1.703.527.3887

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 2

**Health hazards** Serious eye damage/eye irritation Category 2A  
Specific target organ toxicity, single exposure Category 1 (central nervous system, optic nerve)

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger

**Hazard statement** Highly flammable liquid and vapor. Causes serious eye irritation. Causes damage to organs (central nervous system, optic nerve).

### Precautionary statement

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

If exposed: Call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

#### Storage

Store in a well-ventilated place. Keep cool. Store locked up.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

## Supplemental information

Although the product as a whole is in solid format, the product does not meet the OSHA HCS definition of a flammable solid as per Appendix B to 1910.1200 - Physical Hazard Criteria, section B.7.1 and B. 7.2.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	CAS number	%
Ethanol	64-17-5	64 - 67
Methanol	67-56-1	3 - 4
2-Propanol	67-63-0	1 - 2

### Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret. The exact concentrations of the above listed chemicals are being withheld as a trade secret. Components not listed are either non-hazardous or are below reportable limits.

## 4. First-aid measures

### Inhalation

Not relevant, due to the form of the product. However: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a physician if symptoms develop or persist.

### Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

### Ingestion

Not relevant, due to the form of the product. However: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without advice from poison control center. Never give anything by mouth to an unconscious person. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

### Most important symptoms/effects, acute and delayed

Narcosis. Headache. Behavioral changes. Decrease in motor functions. Causes severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

### General information

Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

### Suitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Carbon oxides. Nitrogen oxides.

### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out.

### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

### General fire hazards

Solid containing flammable liquid.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid contact with skin, eyes and clothing. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Avoid release to the environment. The liquid solvent solution is miscible in water.

Spills are very unlikely, because the wiper fabric has absorbed the liquid solvent solution. In the event of a spill, contain with an inert absorbent. Collect the wipes with a non-sparking tool and absorb or wipe any residual liquids. Used wipes must be disposed in a closed container.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions****7. Handling and storage****Precautions for safe handling**

**WARNING!** Used wipes may catch fire if improperly discarded or stored near ignition sources. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Avoid contact with skin, eyes and clothing. Do not breathe mist/vapors. Do not taste or swallow. Avoid prolonged exposure. Wash hands thoroughly after handling. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store locked up. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Keep container closed when not in use. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection****Occupational exposure limits****US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
2-Propanol (CAS 67-63-0)	PEL	980 mg/m <sup>3</sup>
		400 ppm
Ethanol (CAS 64-17-5)	PEL	1900 mg/m <sup>3</sup>
		1000 ppm
Methanol (CAS 67-56-1)	PEL	260 mg/m <sup>3</sup>
		200 ppm

**US. ACGIH Threshold Limit Values (TLV)**

Components	Type	Value
2-Propanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Methanol (CAS 67-56-1)	STEL	250 ppm
	TWA	200 ppm

**NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended**

Components	Type	Value
2-Propanol (CAS 67-63-0)	IDLH	2 %
		2000 ppm
Ethanol (CAS 64-17-5)	IDLH	3.3 %
		3300 ppm
Methanol (CAS 67-56-1)	IDLH	6 %
		6000 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
2-Propanol (CAS 67-63-0)	STEL	1225 mg/m <sup>3</sup>
		500 ppm
	TWA	980 mg/m <sup>3</sup>

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	400 ppm 1900 mg/m3
Methanol (CAS 67-56-1)	STEL	1000 ppm 325 mg/m3
	TWA	250 ppm 260 mg/m3 200 ppm

**Biological limit values****ACGIH Biological Exposure Indices (BEI)**

Components	Value	Determinant	Specimen	Sampling Time
2-Propanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*

\* - For sampling details, please see the source document.

**Exposure guidelines****US - California OELs: Skin designation**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

Methanol (CAS 67-56-1) Skin designation applies.

**US - Tennessee OELs: Skin designation**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

Methanol (CAS 67-56-1) Danger of cutaneous absorption

**US. NIOSH: Pocket Guide to Chemical Hazards**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**Appropriate engineering controls**

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Provide eyewash station and safety shower.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Not necessary under normal conditions. If splashing is possible, wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear appropriate chemical resistant gloves. Take note of the information given by the manufacturer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).  
Recommended materials: Polyethylene. Neoprene. Chlorinated polyethylene (or Chlorosulfonated polyethylene). Natural rubber. Polyvinyl chloride (PVC). Nitrile rubber/Nitrile latex - NBR. Ethyl vinyl alcohol laminate ("EVAL").  
Unsuitable materials: Polyvinyl alcohol (PVA).

**Skin protection****Other**

Wear suitable protective clothing.

**Respiratory protection**

Not necessary under normal conditions. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear NIOSH approved respirator appropriate for airborne exposure at the point of use. Check with respiratory protective equipment suppliers.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

**Physical state** Liquid.

<b>Form</b>	Wipes saturated with liquid.
<b>Color</b>	Colorless.
<b>Odor</b>	Alcohol-like.
<b>Odor threshold</b>	Property has not been measured. (liquid)
<b>pH</b>	Property has not been measured. (liquid)
<b>Melting point/freezing point</b>	Property has not been measured. (liquid)
<b>Initial boiling point and boiling range</b>	147.2 °F (64 °C) (liquid)
<b>Flash point</b>	71.6 °F (22 °C) (liquid)
<b>Evaporation rate</b>	1.96 (BuAc = 1) (liquid)
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	3.3 % v/v (liquid)
<b>Explosive limit - upper (%)</b>	36 % v/v (liquid)
<b>Vapor pressure</b>	30.7 mm Hg (liquid) (68 °F (20 °C))
<b>Vapor density</b>	Property has not been measured. (liquid)
<b>Relative density</b>	0.883 (liquid) (68 °F (20 °C))
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Soluble in water. (liquid)
<b>Partition coefficient (n-octanol/water)</b>	Not applicable, product is a mixture.
<b>Auto-ignition temperature</b>	750.2 °F (399 °C) (liquid)
<b>Decomposition temperature</b>	Property has not been measured. (liquid)
<b>Viscosity</b>	Property has not been measured. (liquid)
<b>Other information</b>	
<b>Density</b>	0.882 g/ml (liquid) (68 °F (20 °C))
<b>Explosive properties</b>	Not explosive.
<b>Kinematic viscosity</b>	Property has not been measured. (liquid)
<b>Oxidizing properties</b>	Not oxidizing.
<b>Particle size</b>	Not applicable. (Cloth with substances which are intentionally released)
<b>Percent volatile</b>	100 % (liquid)

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Aldehydes. Halogenated organics. Halogens. Strong acids. Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition may produce: Carbon oxides. Nitrogen oxides.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause damage to organs by inhalation. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking. May be absorbed through the skin.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Narcosis. Headache. Behavioral changes. Decrease in motor functions. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.
---	--

## Information on toxicological effects

**Acute toxicity** May be harmful if swallowed.

Components	Species	Test Results
------------	---------	--------------

2-Propanol (CAS 67-63-0)

### Acute

#### **Dermal**

LD50	Rabbit	12870 mg/kg
------	--------	-------------

#### **Inhalation**

##### *Vapor*

LC50	Rat	72.6 mg/l, 4 hours
------	-----	--------------------

#### **Oral**

LD50	Rat	4710 mg/kg
------	-----	------------

Ethanol (CAS 64-17-5)

### Acute

#### **Dermal**

LD50	Rat	> 2000 mg/kg
------	-----	--------------

#### **Inhalation**

##### *Vapor*

LC50	Mouse	39 g/m3, 4 Hours
------	-------	------------------

#### **Oral**

LD50	Rat	7000 - 11000 mg/kg
------	-----	--------------------

**Skin corrosion/irritation** Repeated exposure may cause skin dryness or cracking.

**Serious eye damage/eye irritation** Causes serious eye irritation.

### **Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

### **IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed.

### **NTP Report on Carcinogens**

Not listed.

### **OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Causes damage to organs (central nervous system, optic nerve).

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**Further information** No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species		Test Results
2-Propanol (CAS 67-63-0)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	LC50	Daphnia magna	> 10000 mg/l, 24 hours
Fish	LC50	Pimephales promelas	9640 mg/l, 96 hours
<i>Chronic</i>			
Crustacea	EC50	Daphnia magna	> 100 mg/l, 21 days
	NOEC	Daphnia magna	141 mg/l, 16 days
			30 mg/l, 21 days

Ethanol (CAS 64-17-5)

**Aquatic**

*Acute*

Crustacea	LC50	Ceriodaphnia dubia	5012 mg/l, 48 hours
		Daphnia magna	454 mg/l, 11 days
Fish	LC50	Pimephales promelas	13480 mg/l, 96 hours

*Chronic*

Crustacea	NOEC	Ceriodaphnia dubia	9.6 mg/l, 10 days
-----------	------	--------------------	-------------------

Methanol (CAS 67-56-1)

**Aquatic**

*Acute*

Crustacea	EC50	Daphnia magna	> 10000 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	15400 mg/l, 96 hours

**Persistence and degradability** Readily biodegradable. Expected to degrade at a moderate rate in air.

**Bioaccumulative potential** Bioconcentration potential is low.

**Partition coefficient n-octanol / water (log Kow)**

2-Propanol (CAS 67-63-0)	0.05
Ethanol (CAS 64-17-5)	-0.31
Methanol (CAS 67-56-1)	-0.77

**Mobility in soil** The product contains substances, which are water soluble and may spread in water systems.

**Other adverse effects** The product contains volatile organic compounds which have a photochemical ozone creation potential. This product contains one or more substances identified as hazardous air pollutants (HAPs) per the US Federal Clean Air Act (see section 15).

### 13. Disposal considerations

**Disposal instructions** Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** D001: Waste Flammable material with a flash point <140 F  
The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

**DOT**

<b>UN number</b>	UN3175
<b>UN proper shipping name</b>	Solids containing flammable liquid, n.o.s. (Ethanol), Limited Quantity
<b>Transport hazard class(es)</b>	
<b>Class</b>	4.1
<b>Subsidiary hazard</b>	-

<b>Label(s)</b>	4.1
<b>Packing group</b>	II
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	47, IB6, IP2, T3, TP33
<b>Packaging exceptions</b>	151
<b>Packaging non bulk</b>	212
<b>Packaging bulk</b>	240

#### IATA

<b>UN number</b>	UN3175
<b>UN proper shipping name</b>	Solids containing flammable liquid, n.o.s. (Ethanol)
<b>Transport hazard class(es)</b>	
<b>Class</b>	4.1
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	II
<b>Environmental hazards</b>	No
<b>ERG Code</b>	3L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

#### IMDG

<b>UN number</b>	UN3175
<b>UN proper shipping name</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol), Limited Quantity
<b>Transport hazard class(es)</b>	
<b>Class</b>	4.1
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	II
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No
<b>EmS</b>	F-A, S-I
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

2-Propanol (CAS 67-63-0) Listed.

Methanol (CAS 67-56-1) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Toxic Substances Control Act (TSCA)** All components of the mixture on the TSCA 8(b) inventory are designated "active".

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Flammable (gases, aerosols, liquids, or solids)  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)



**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
2-Propanol	67-63-0	1 - 2
Methanol	67-56-1	3 - 4

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Methanol (CAS 67-56-1)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not established.**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

2-Propanol (CAS 67-63-0)

Low priority

Ethanol (CAS 64-17-5)

Low priority

**US state regulations****US. Massachusetts RTK - Substance List**

2-Propanol (CAS 67-63-0)

Ethanol (CAS 64-17-5)

Methanol (CAS 67-56-1)

**US. New Jersey Worker and Community Right-to-Know Act**

2-Propanol (CAS 67-63-0)

Ethanol (CAS 64-17-5)

Methanol (CAS 67-56-1)

**US. Pennsylvania Worker and Community Right-to-Know Law**

2-Propanol (CAS 67-63-0)

Ethanol (CAS 64-17-5)

Methanol (CAS 67-56-1)

**US. Rhode Island RTK**

2-Propanol (CAS 67-63-0)

Ethanol (CAS 64-17-5)

Methanol (CAS 67-56-1)

**California Proposition 65**

This product does not contain a chemical above applicable California Propositions 65's "safe harbor levels." Therefore, the product does not require a warning label pursuant to California Prop 65. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

Issue date	21-June-2022
------------	--------------

**Revision date** 25-June-2024  
**Version #** 02  
**HMIS® ratings** Health: 4  
Flammability: 3  
Physical hazard: 0

**Disclaimer** Contec, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.