

QuickTask™ Mop, TASK0200

Foam mop with knitted polyester face


The QuickTask™ range consists of a variety of flat mops that can be easily attached to a choice of flat mop frames and handle assemblies.



QuickTask TASK0200 and TASK0250 mop heads are constructed from multilayers of 100% knitted polyester creating a highly sorbent mop which allows for an even application of solution. The cleanroom laundered polyester ensures a very low level of particulates making the mop suitable for use in the highest grade of cleanroom.

Available validated sterile by gamma irradiation.



Features	Benefits
Cleanroom laundered	<ul style="list-style-type: none"> • 100% polyester knit ensures a low level of particulates
Sorbent multilayer knitted surface	<ul style="list-style-type: none"> • Applies solutions evenly • Suitable for removal of light soils, residues and biofilms
Available gamma irradiated and validated sterile to a 10 ⁻⁶ SAL per ANSI/AAMI/ISO 11137	<ul style="list-style-type: none"> • Suitable for all grade of pharmaceutical cleanrooms
Lightweight and ergonomic	<ul style="list-style-type: none"> • The lightest mop cover in the range allows for ergonomic use and efficient surface contact

Part No.	Description	Size	Packaging
TASK0200	QuickTask Mop Knitted polyester	16" x 5" (406 x 130 mm)	4/bag; 12 bags/case
TASK0250	QuickTask Mop Sterile, knitted polyester	 16" x 5" (406 x 130 mm)	1/bag; 40 bags/case
2740	QuickTask Mop Frame Polypropylene (compatible with handle 2725E with adapter 2758)	16" x 4.25" (41 x 11 cm)	1/case
2699P	QuickTask Magnetic Mop Frame Polypropylene	15.5" x 3.75" (40 x 10 cm)	1/case
2906	QuickTask Magnetic Mop Frame Stainless steel	15.5" x 3.75" (40 x 10 cm)	1/case

Product Information	
Mop material	<ul style="list-style-type: none"> 100% knitted polyester fabric
Mop construction	<ul style="list-style-type: none"> Multi-layer sewn lamination/sealed border
Packaging materials	<ul style="list-style-type: none"> Outer bags (OB1, OB2, OB3), low density polyethylene (LDPE)  Case (CS), corrugated fiberboard (PAP) 
Chemical compatibility	<ul style="list-style-type: none"> Compatible with a wide range of chemicals and disinfectants (bleach safe/quat safe)
Environment	<ul style="list-style-type: none"> ISO 4-8 Grade A/B for sterile, C/D for nonsterile
Shelf life	<ul style="list-style-type: none"> Sterile: 2 years from manufacturing date
Dimensions	<ul style="list-style-type: none"> As packaged; nominal: 15.5" x 5.25" (39.4 x 13.3 cm) Mounted on frame: 16" x 4.5" (41 x 11.5 cm)



TASK0200/TASK0250

Recycle Symbols



Technical Data

Attribute (units)	Typical Value	Test Method
Mop weight, dry; (g)	74	CTM004-03
Sorbent capacity; (mL/mop)	328	CTM005
Particles $\geq 0.5\mu\text{m}$; ($\times 10^6/\text{mop}$)	2.1	CTM006-01
Fibers $\geq 100\mu\text{m}$; ($\times 10^3/\text{mop}$)	0.08	CTM006-01
Mop coverage; ft^2 (m^2)		CTM037-01
S-Curve	262 (24)	
Place and Pull	121 (11)	
Mop frames	2906, 2699P, 2740	

Packaging	EA/OB1	OB1/OB2	OB2/CS	EA/CS	
TASK0200	4	1	12	48	
	EA/OB1	OB1/OB2	OB2/OB3	OB3/CS	EA/CS
TASK0250	1	1	4	10	40

EA = each; OB = outer bag 1/2/3; CS = case

Notes

- The data shown are typical values and should not be used as product specifications.
- Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Test Methods

- CTM = Refers to Contec Test Method.
- Mop coverage data is based on mop head applying solution such that the mopped surface is visibly wetted across the full mop path with no dry streaking observed, under controlled conditions. It is the responsibility of the user to determine appropriate coverage to ensure surfaces are visibly wet for the contact time required for their specific solution.